

## **AMENDMENTS TO THE CLAIMS**

The listing of claims will replace all prior versions, and listings, of claims in the application.

### **Listing of Claims**

Claims 1-15 (Cancelled)

16. (Currently Amended) A recording device, comprising:

a still image recording portion recording a still image;

a video recording portion recording a video;

an information recording portion recording information on a correspondence between the still image recorded by said still image recording portion and the video recorded by said video recording portion;

a digital network interface digitally bi-directionally communicating with an external apparatus; ~~and~~

a command executing portion interpreting a command received from the external apparatus through said digital network interface and selectively transmitting one or a plurality of the still image, the video and the information respectively recorded by said still image recording portion, said video recording portion and said information recording portion through said digital network interface; and

a still image producing portion producing a still image by cutting out the still image to be recorded in the still image recording portion from the video recorded by said video recording

portion, wherein

said still image producing portion cuts out a still image at a start of (i) the video recording, as well as one of (ii) after a prescribed time from the start of the video recording and (iii) every time a prescribed period of time is elapsed.

17. (Previously presented) The recording device according to claim 16, wherein said command executing portion transmits the still image and the information respectively recorded by said still image recording portion and said information recording portion through said communicating portion when a still image transfer command is received through said communicating portion.

18. (Previously presented) The recording device according to claim 17, wherein said command executing portion transmits the still image recorded by said still image recording portion in accordance with a Direct Printing Protocol.

19. (Previously presented) The recording device according to claim 16, wherein said command executing portion transmits the video data recorded by said video recording portion by an Audio Visual/Control.

20. (Previously presented) The recording device according to claim 16, wherein said information on the correspondence between the still image and the video includes information representing a reproduction position of the video.

21. (Previously presented) The recording device according to claim 20, wherein said information representing the reproduction position of the video is designated by temporal information.

22. (Previously presented) The recording device according to claim 20, further comprising a searching portion searching and changing a reproduction starting point of the video based on information received from the external apparatus.

Claim 23 (Canceled)

24. (Currently Amended) The recording device according to claim 16, wherein said still image producing portion produces and records information on a correspondence between the still image and the video based on information dependent on the video.

Claim 25 (Canceled)

26. (Currently Amended) ~~The~~ A recording device , ~~according to claim 23, comprising:~~  
a still image recording portion recording a still image;  
a video recording portion recording a video;  
an information recording portion recording information on a correspondence between the  
still image recorded by said still image recording portion and the video recorded by said video

recording portion;

a digital network interface digitally bi-directionally communicating with an external apparatus;

a command executing portion interpreting a command received from the external apparatus through said digital network interface and selectively transmitting one or a plurality of the still image, the video and the information respectively recorded by said still image recording portion, said video recording portion and said information recording portion through said digital network interface; and

a still image producing portion producing a still image by cutting out the still image to be recorded in the still image recording portion from the video recorded by said video recording portion, wherein

said still image producing portion cuts out and records the still image by detecting a switching of a sound multiplex mode.

27. (Previously presented) The recording device according to claim 16, wherein said still image recording portion, said video recording portion or said information recording portion records information on a recording medium which allows random access.

28. (Currently Amended) A reproducing device, comprising:

a digital network interface digitally bi-directionally communicating with an external apparatus;

a still image display portion displaying a still image received through said digital

network interface;

an information receiving portion receiving information on a correspondence between the still image and a video through said digital network interface;

a video selection command issuing portion transmitting information capable of selecting the video through said digital network interface; and

a video display portion receiving the video corresponding to the still image displayed by said still image display portion through said digital network interface for display; and

a still image producing portion producing the still image by cutting out the still image from the video.

Claim 29 (Canceled)

30. (Currently Amended) ~~The~~ A reproducing device ~~according to claim 28, further comprising~~ comprising:

a digital network interface digitally bi-directionally communicating with an external apparatus;

a still image display portion displaying a still image received through said digital network interface;

an information receiving portion receiving information on a correspondence between the still image and a video through said digital network interface;

a video selection command issuing portion transmitting information capable of selecting the video through said digital network interface;

a video display portion receiving the video corresponding to the still image displayed by

said still image display portion through said digital network interface for display; and

an instruction issuing portion issuing an instruction for cutting out the still image through  
said digital network interface ~~in accordance with an instruction of a user.~~

31. (Previously presented) The reproducing device according to claim 30, wherein said still image display portion receives said still image data in accordance with a Direct Printing Protocol.

32. (Previously presented) The reproducing device according to claim 30, wherein said information on the correspondence between the still image and the video includes information representing a reproduction position of the video.

33. (Previously presented) The reproducing device according to claim 32, wherein said information representing the reproduction position of the video is designated by temporal information.

34. (Previously presented) The reproducing device according to claim 30, wherein said command issuing portion transmits said information on the correspondence between the still image data and the video with a video transfer command when said command issuing portion issues said video transfer command through said communicating portion, and

said video display portion receives video data through said communicating portion for display.

35. (Previously presented) The reproducing device according to claim 34, wherein said command issuing portion receives said video data by an Audio Visual/Control.

36. (Previously Presented) The reproducing device according to claim 28, wherein said still image display portion retrieves temporal information from information corresponding to the still image received by the digital network interface and displays the temporal information when the still image is displayed.

37. (Previously presented) The reproducing device according to claim 30, wherein said command issuing portion issues a command of requesting transmission of videos corresponding to the still image through said communicating portion in an order of the still images displayed onto said still image display portion.

38. (Previously presented) The reproducing device according to claim 37, further comprising a switching portion switching positions of the still images displayed on said still image display portion.

Claims 39 – 41 (Canceled)